

## CONTENTS

---

# Clinical Microbiology and Infection

THE OFFICIAL PUBLICATION OF THE EUROPEAN SOCIETY OF CLINICAL MICROBIOLOGY AND INFECTIOUS DISEASES

Volume 9



**Blackwell**  
Publishing



---

Published by Blackwell Publishing Ltd, 9600 Garsington Rd, Oxford, OX4 2DQ

©2003 Blackwell Publishing Ltd. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Publishing Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$15.00 per copy is paid directly to the CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor. 0014-2972/01 \$15.00.

The use of registered names, trade marks, etc., in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulation and therefore free for general use.

Blackwell Publishing  
9600 Garsington Road, Oxford, OX4 2DQ  
101 George Street, Edinburgh, EH2 3ES  
10 rue Casimir Delavigne, 75006 Paris, France  
1, Rosenørns Allé, P.O. Box 227, DK-1502 Copenhagen V, Denmark  
Blackwell Publishing, Inc., 350 Main Street, Malden, MA 02148, USA  
Blackwell Publishing Asia, 550 Swanston St, Carlton South Victoria 3053, Australia  
Blackwell Verlag, Kurfürstendamm 57, D-10707 Berlin (Charlottenburg), Germany  
Blackwell Publishing KK, Healthcare Division, NK Bldg, 3F, 2-8-12 Iwamotocho, Chiyodaku, Tokyo 101-0032

ISSN 0014-2972

Typeset by Thomson Press, India and printed by The Polestar Group Ltd, UK.

## CONTENTS

### Volume 9, Issue 1, January 2003

#### Reviews

- 1 Treatment of epidemic and pandemic influenza with neuraminidase and M2 proton channel inhibitors: J. S. Oxford, S. Bossuyt, S. Balasingam, A. Mann, P. Novelli and R. Lambkin
- 15 Microbial natural products as a source of antifungals: M. F. Vicente, A. Basilio, A. Cabello and F. Peláez

#### Original articles

- 33 Tetanus antitoxin levels among adults over 40 years of age in Central Anatolia, Turkey: A. Öztürk, S. Göhmetoğlu, F. Erdem and S. Mýsgüroğlu Alkan
- 39 Transfusion-associated TT virus co-infection in patients with hepatitis C virus is associated with type II mixed cryoglobulinemia but not with B-cell non-Hodgkin lymphoma: P. Cacoub, E. Rosenthal, V. Gerolami, P. Hausfater, P. Ghillani, Y. Sterkers, V. Thibault, H. Khiri, J. C. Piette and P. Halfon
- 45 Infective endocarditis not related to intravenous drug abuse in HIV-1-infected patients: report of eight cases and review of the literature: J. E. Losa, J. M. Miro, A. Del Rio, A. Moreno-Camacho, F. Garcia, X. Claramonte, F. Marco, C. A. Mestres, M. Azqueta, J. M. Gatell, and the Hospital Clinic Endocarditis Study Group

#### Continuing medical education

- 55 Clinical microbiological case: a patient with vascular risk factors, chest pain and fever: J. S. García-Morillo, E. Pamies Andreu, A. Fernández de Simón Almela and A. De Alarcón González

#### Concise communications

- 57 Performance of PCR–restriction fragment length polymorphism analysis of the *Helicobacter pylori* ureB gene in differentiating gene variants: H. Colding, S. H. Hartzen, M. Mohammadi, K. Henup, J. E. Kristiansen and L. P. Andersen
- 61 Mueller–Hinton agar is superior to PDM blood agar for detection of methicillin-resistant *Staphylococcus aureus*: T. Monsen, S. Persson, H. Edebro, S. Granström and J. Wiström
- 65 *Dientamoeba fragilis*—a protozoal infection which may cause severe bowel distress: A. Norberg, C. E. Nord and B. Evengård
- 69 *Campylobacter jejuni* O:19 serotype-associated Guillain–Barré syndrome in a child: the first case reported from Greece: S. Chatzipanagiotou, K. Kilidireas, G. Trimis, C. Nicolaou, M. Anagnostouli, C. Athanassaki, A. Giannoulia, N. Legakis and S. Yioroukos
- 73 Pneumococcal arthritis, report of a case with emphasis on the contribution to diagnosis of positron emission tomography using fluorinated deoxyglucose: E. H. Hoogendoorn, W. J. G. Oyen, A. P. J. van Dijk and J. W. M. van der Meer

#### Answers to continuing medical education questions

- 77 Clinical microbiological case: a patient with vascular risk factors, chest pain and fever: S. García-Morillo, E. Pamies Andreu, R. Fernández de Simón and A. De Alarcón González

### Volume 9, Issue 2, February 2003

#### Reviews

- 79 Carbohydrate–protein conjugate vaccines: G. Ada and D. Isaacs
- 86 High-throughput epidemiologic typing in clinical microbiology: A. van Belkum

#### Original articles

- 101 Infecton: a <sup>99m</sup>Tc–ciprofloxacin radiopharmaceutical for the detection of bone infection: J. Malamitsi, H. Giamarellou, K. Kanellakopoulou, E. Dounis, V. Grecka, J. Christakopoulos, G. Koratzanis, A. Antoniadou, G. Panoutsopoulos, C. Batsakis and C. Proukakis
- 110 *Dientamoeba fragilis*, a neglected cause of diarrhea, successfully treated with secnidazole: N. İrginkardeşler, S. Cokun, İ. Cüneyt Balcıoğlu, P. Ertan and Ü. Z. Ok
- 114 Reliability of the *ica*, *aap* and *atlE* genes in the discrimination between invasive, colonizing and contaminant *Staphylococcus epidermidis* isolates in the diagnosis of catheter-related infections: S. J. Vandecasteele, W. E. Peetermans, R. R. Merckx, B. J. A. Rijnders and J. Van Eldere
- 120 A new method for normalized interpretation of antimicrobial resistance from disk test results for comparative purposes: G. Kronvall, G. Kahlmeter, E. Myhre and M. F. Galas

#### Continuing medical education

- 133 Clinical microbiological case: acute osteomyelitis in a previously healthy child: N. Markeas, G. Stamos, I. Paraskakis, A. Giokas and G. Pistevo

#### Concise communications

- 135 Extraction of *Chlamydia pneumoniae* DNA from vascular tissue for use in PCR: an evaluation of four procedures: H. F. Berg, B. Maraha, A. M. C. Bergmans, A. van der Zee, J. A. J. W. Kluytmans and M. F. Peeters
- 140 Evidence for efflux pumps, other than PmrA, associated with fluoroquinolone resistance in *Streptococcus pneumoniae*: N. P. Brenwald, P. Appelbaum, T. Davies and M. J. Gill
- 144 Human papillomavirus DNA in cervical lesions from Morocco and its implications for cancer control: K. Lalaoui, M. El Mzibri, M. Amrani, M. A. Belabbas and P. A. Lazo
- 149 Resistance to  $\beta$ -lactams among blood isolates of *Salmonella* spp. in European hospitals: results from the SENTRY Antimicrobial Surveillance Program 1997–98: L. S. Tzouveleakis, V. Lukova, P. T. Tassios, A. C. Fluit, R. N. Jones and N. J. Legakis
- 153 Prevalence of methicillin-resistant *Staphylococcus aureus* in eight African hospitals and Malta: C. Kesah, S. Ben Redjeb, T. O. Odugbemi, C. S.-B. Boye, M. Dosso, J. O. Ndinya Achola, S. Koulla-Shiro, M. Benbachir, K. Rahal and M. Borg

#### Answers to continuing medical education questions

- 157 Clinical microbiological case: acute osteomyelitis in a previously healthy child: N. Markeas, G. Stamos, I. Paraskakis, A. Giokas and G. Pistevo

Volume 9, Issue 3, March 2003

**Editorial**

- 159 Reciprocal influence of HIV and HCV infections in co-infected patients and the involvement of HAART: C. Tamalet and Ph. Colson

**Reviews**

- 161 Herpes simplex virus type 2 and heterosexual spread of human immunodeficiency virus infection in developing countries: hypotheses and research priorities: F. X. Mbopi-Keou, N. J. Robinson, P. Mayaud, L. Belec and D. W. G. Brown
- 172 Molecular typing for fungi—a critical review of the possibilities and limitations of currently and future methods: C. Gil-Lamaignere, E. Roilides, J. Hacker and E.-M. C. Müller

**Update**

- 186 New antiretroviral drugs: R. M. Gulick

**Original Articles**

- 194 Diagnosis of *Chlamydia trachomatis* infections in a sexually transmitted disease clinic: evaluation of a urine sample tested by enzyme immunoassay and polymerase chain reaction in comparison with a cervical and/or a urethral swab tested by culture and polymerase chain reaction: I. P. Jensen, H. Fogh and J. Prag
- 202 Lymphocyte subset numbers depend on the bacterial origin of sepsis: M. Holub, Z. Klučková, M. Helcl, J. Přihodov, R. Rokytá and O. Beran
- 212 The value of pleural fluid anti-A60 IgM in BCG-vaccinated tuberculous pleurisy patients: E. Kunter, K. Cerrahoglu, A. Ilvan, T. Isimangil, O. Turken, O. Okutan, Z. Kartaloglu and S. Cavuslu

**Continuing medical education**

- 221 Clinical microbiological case: infection imitating lymphocutaneous sporotrichosis during pregnancy in a healthy woman from the south-eastern USA: A. Safdar

**Concise communications**

- 222 *Rothia dentocariosa*, endocarditis and mycotic aneurysms: case report and review of the literature: M. Boudewijns, K. Magerman, J. Verhaegen, G. Debrock, W. E. Peetermans, P. Donkersloot, A. Meuris, V. Peeters, J. L. Rummens and R. Cartuyvels
- 230 *Rhodococcus equi* pneumonia in a heart transplant recipient in Korea, with emphasis on microbial diagnosis: S. J. Yoo, H. Sung, J. D. Chae, M.-N. Kim, C. H. Pai, J. Park and J.-J. Kim
- 234 Detection of bloodstream pathogens in a bacille Calmette-Guérin (BCG)-vaccinated pediatric population in Malawi: a pilot study: L. K. Archibald, O. Nuvanyawu, P. N. Kazembe, C. Muvansambo, M. Bell, H. Dobbie, L. B. Reller and W. R. Jarvis
- 239 Cure of bartonella endocarditis of a prosthetic aortic valve without surgery: value of serologic follow-up: P. Lesprit, V. Noël, P. Chazouillères, C. Brun-Buisson and L. Deforges

**Correspondence**

- 242 Stand-by treatment of sepsis in people without a spleen: D. A. R. Watson

- 243 Distinguishing *Pasteurella* spp. from *Haemophilus* spp.: the problem revisited: J. M. T. Hamilton-Miller

**Answers to continuing medical education questions**

- 244 Clinical microbiological case: infection imitating lymphocutaneous sporotrichosis during pregnancy in a healthy woman from the south-eastern USA: A. Safdar

Volume 9, Issue 4, April 2003

**Reviews**

- 247 Viruses causing gastroenteritis: I. Wilhelmi, E. Roman and A. Sánchez-Fauquier
- 263 Laboratory diagnosis of *Mycoplasma pneumoniae* infection: E. Daxboeck, R. Krause and C. Wenisch

**Original articles**

- 274 Age-specific seroprevalence of Human Herpesvirus 8 in Mediterranean regions: P. Cattani, F. Cerimele, D. Porta, R. Graffeo, S. Ranno, S. Marchetti, R. Ricci, N. Capodicasa, L. Fuga, R. Amico, G. Cherchi, M. Gazzilli, S. Zanetti and G. Fadda
- 280 Clinical and microbiological epidemiology of *Streptococcus pneumoniae* bacteremia in eight French counties: J. Maugein, D. Guillemot, M. J. Dupont, T. Fosse, G. Laurans, M. Roussel-Delvallez, J. Thierry, M. Vergnaud, M. Weber and B. Poirier
- 289 Treatment outcome of tuberculosis among Saudi nationals: role of drug resistance and compliance: Y. Samman, A. Krayem, M. Haidar, S. Mimesh, A. Osoba, A. Al-Mouaallad, M. Abdelaziz and S. Wali
- 295 Rapid antigen testing for the surveillance of influenza epidemics: W. Wunderli, Y. Thomas, D. A. Müller, M. Dick and L. Kaiser
- 301 Clinical utility of a dipstick assay in patients with brucellosis: correlation with the period of evolution of the disease: M. A. Casao, H. L. Smits, E. Navarro and J. Solera

**Concise communications**

- 306 Will triclosan in toothpaste select for resistant oral streptococci?: Á. Sullivan, B. Wretling and C. E. Nord
- 310 Predominance of two M-types among erythromycin-resistant group A *Streptococci* from Greek children: L. Zachariadou, J. Papaparaskevas, I. Panaskakis, A. Efstratiou, A. Pangalis, N. J. Legakis and P. T. Tassios
- 315 *Chlamydia pneumoniae*, but not *Bartonella quintana*, is associated with coronary heart disease: results of a French case-control study: S. Badiaga, F. Paganelli, P. Purola, M. Beghin, K. Baran, F. Eb and P. Brouqui
- 319 An unusual native tricuspid valve endocarditis caused by *Candida colliculosa*: I. Kaygusuz, L. Mulazimoglu, N. Cerikcioglu, A. Toprak, A. Oktay and V. Korten
- 323 Performance of drug resistance assays in testing HIV-1 non-B subtypes: Á. Holguín, K. Hertogs and V. Soriano
- 327 SDS-PAGE for identification of species belonging to the *Mycobacterium fortuitum* complex: J. Esteban, A. Molleja, E. Cabria and M. Soledad Jiménez

## Volume 9, Issue 5, May 2003

**Editorial**

- 333 Intravenous immunoglobulins in infectious diseases: where do we stand?: L. Mouthon and O. Lortholary

**Reviews**

- 339 Is there a rationale for the continuous infusion of cefepime? A multidisciplinary approach: E. Bernard, D. Breilh, J.-P. Bru, D. Chiche, I. Dujardin, R. Garraffo, F. Goldstein, I. Lavard and G. Potel
- 349 Rapid detection of resistance in *Mycobacterium tuberculosis*: a review discussing molecular approaches: D. García de Viedma

**Original articles**

- 360 Regional dissemination of *Salmonella enterica* serovar Enteritidis is season dependent: M. Biendo, G. Laurans, D. Thomas, O. Dechevy, F. Hamdad-Daoudi, B. Canarelli and F. Eb
- 370 Development of resistance in *Pseudomonas aeruginosa* obtained from patients with cystic fibrosis at different times: F. B. Spencker, L. Staber, T. Lietz, R. Schille and A. C. Rodloff
- 380 A series of Infections due to *Capnocytophaga* spp. in immunosuppressed and immunocompetent patients: H. Bonatti, D. W. Rossboth, D. Nachbaur, M. Fille, C. Aspöck, I. Hend, K. Hourmont, L. White, H. Mahnick and F. J. Allerberger
- 388 Different trends in antibiotic resistance rates at a university teaching hospital: M. Sörberg, A. Farra, U. Ransjö, B. Gårdlund, M. Rylander, B. Settergren, M. Kalin and G. Kronwall
- 397 Anaerobic bacteria commonly colonize the lower airways of intubated ICU patients: C. Agvald-Öhman, J. Wernerman, C. E. Nord and C. Edlund
- 406 Optimizing antibiotic therapy—the Aberdeen experience: Y. Kumarasamy, T. Cadugan, I. A. Gillanders, B. Jappy, R. Laing and I. M. Gould
- 412 The influence of inadequate empirical antimicrobial treatment on patients with bloodstream infections in an intensive care unit: R. Zaragoza, A. Artero, J. J. Camarena, S. Sancho, R. González and J. M. Nogueira

**Continuing medical education**

- 419 Clinical microbiological case: 'soap bubbles' in the cerebellum of an HIV-infected patient: J. M. García-Lechuz, M. Sánchez-Conde, L. Muñoz and C. Benito
- 421 Clinical microbiological case: esophageal lesion in an aids patient: J.-J. Canet, J. Julià, J. Martínez-Lacasa and J. Garau

**Concise communications**

- 422 Human immunodeficiency virus type 1 recombinant B/G subtypes circulating in Coimbra, Portugal: V. Duque, A. Holguín, M. Silvestre, J. González-Lahoz and V. Soriano
- 426 *Neisseria elongata* endocarditis: case report and literature review: L. J. Haddow, C. Mulgrew, A. Ansari, J. Miell, G. Jackson, H. Mahnick and G. G. Rao
- 431 Antimicrobial susceptibility of 840 clinical isolates of *Haemophilus influenzae* collected in four European countries

in 2000–2001: R. Blosser-Middleton, D. F. Salm, C. Thornsberry, M. E. Jones, P. A. Hogan, I. A. Critchley and J. A. Karlowsky

- 437 A case of pleurisy associated with antibodies to *Rickettsia conorii*: S. Alexiou-Daniel, A. Tea, G. Ilonidis and A. Antoniadis
- 441 *Cryptococcus neoformans* var. *neoformans* resistant to fluconazole in an HIV-negative patient with chronic lymphocytic leukemia: K. Assing, H. Birgens and M. Arendrup
- 445 *Nocardia farcinica* as the causative agent in a primary psoas abscess in a previously healthy cattle inspector: L. H. M. Smit, R. Leemans and B. P. Overbeek
- 449 Evaluation of the WIDER I system for antimicrobial susceptibility testing of clinical isolates of *Haemophilus influenzae* and *Streptococcus pneumoniae*: F. Fernández-Cuenca, L. Martínez-Martínez, A. Pascual, M. De Cueto, O. Gutiérrez, J. Nieto and E. J. Perea
- 453 Measurement of serum levels of eosinophil cationic protein in the diagnosis of acute gastrointestinal anisakiasis: J. Domínguez-Ortega, J. C. Martínez-Alonso, A. Alonso-Llamazares, C. Argüelles-Gande, M. Chamorro, T. Robledo, R. Palacio and C. Martínez-Cócena

**Correspondence**

- 458 Some epidemiologic features of *Campylobacter jejuni/coli* infections in Bosnia and Herzegovina after the war: S. Uzunovic-Kamberovic

**Answers to continuing medical education questions**

- 461 Clinical microbiological case: 'soap bubbles' in the cerebellum of an HIV-infected patient: J. M. García-Lechuz, M. Sánchez-Conde, L. Muñoz and C. Benito
- 463 Clinical microbiological case: esophageal lesion in an aids patient: J.-J. Canet, J. Julià, J. Martínez-Lacasa and J. Garau

## Volume 9, Issue 6, June 2003

**EUCAST Subcommittee Reports**

- 467 Multicenter evaluation of the reproducibility of the proposed antifungal susceptibility testing method for fermentative yeasts of the Antifungal Susceptibility Testing Subcommittee of the European Committee on Antimicrobial Susceptibility Testing (AFST-EUCAST): M. Cuenca-Estrella, C. B. Moore, F. Barchiesi, J. Bille, E. Chryssanthou, D. W. Denning, J. P. Donnelly, F. Dromer, B. Dupont, J. H. Rex, M. D. Richardson, B. Sancak, P. E. Verweij and J. L. Rodríguez-Tudela and the AFST Subcommittee of the European Committee on Antimicrobial Testing

**ESCMID Study Group Report**

- 475 Antimicrobial susceptibility of *Bacteroides fragilis* group isolates in Europe: M. Hedberg and C. E. Nord

**Reviews**

- 489 Non-invasive techniques for the diagnosis of *Helicobacter pylori* infection: L. Gatta, C. Ricci, A. Tampieri and D. Vaira

**Updates**

- 497 Current strategies to avoid misdiagnosis of malaria: T. Hänscheid

- 505 Molecular diagnostics in clinical parasitology and mycology: limits of the current polymerase chain reaction (PCR) assays and interest of the real-time PCR assays: S. Bretagne
- 512 Mechanism of quinolone resistance in anaerobic bacteria: H. Oh and C. Edlund

#### Original articles

- 518 Mycobacterial infection in a series of 1261 renal transplant recipients: J. A. Queipo, E. Broseta, M. Santos, J. Sánchez-Plumed, A. Budía and F. Jiménez-Cruz
- 526 Antecedent use of fluoroquinolones is associated with resistance to moxifloxacin in *Clostridium difficile*: G. Ackermann, Y. J. Tang-Feldman, R. Schaumann, J. P. Henderson, A. C. Rodloff, J. Silva Jr and S. H. Cohen
- 531 Changing epidemiology and predictors of mortality in patients with spontaneous bacterial peritonitis at a liver transplant unit: N. Singh, M. M. Wagener and T. Gayowski

#### Continuing medical education

- 538 Clinical microbiological case: a necrotic skin lesion in a patient with renal failure: F. Grill, P. Muñoz, R. Jofre and E. Bouza

#### Concise communications

- 540 Remote abscess formation during interferon- $\alpha$  therapy for viral hepatitis: C. A. Gogos, J. K. Starakis, H. P. Bassaris and A. T. Skoutelis
- 543 Validation of commercial dry-form broth microdilution panels for susceptibility testing of AZD2563, a new long-acting oxazolidinone: R. N. Jones, T. R. Anderegge and D. J. Biedenbach
- 547 Multiresistant *Acinetobacter baumannii* isolates in intensive care units in Greece: A. N. Maniatis, S. Pourmaras, S. Orkopoulos, P. T. Tassios and N. J. Legakis and the Bacterial Resistance Study Group
- 554 Transmission of *Streptococcus pyogenes* causing successive infections in a family: A. Mazón, A. Gil-Setas, L. J. Sota de la Gándara, A. Vindel and J. A. Sáez-Nieto
- 560 A parent as a vector of *Salmonella brandenburg* nosocomial infection in a neonatal intensive care unit: G.-L. Cartolano, M.-E. Mouliès, J.-C. Seguié and A. Boisivon
- 563 The activity of meropenem and comparators against *Acinetobacter* strains isolated from European hospitals, 1997–2000: P. J. Turner and J. M. Greenhalgh and the MYSTIC Study Group (Europe)
- 568 A fatal case of *Vibrio vulnificus* meningoencephalitis: S. J. Kim, B. C. Kim, D. C. Kim, M. K. Kim, K. H. Cho, J. J. Seo and J. H. Shin

#### Correspondence

- 572 Undiagnosed systemic lupus erythematosus presenting with salmonella bacteremia: a case report and mini-review: S. Gençer, Y. Yılmaz, Balkan, N. Benzonana and S. Özer
- 574 Comparative evaluation of test assays for detection of methicillin resistance in *Staphylococcus aureus*: R. Mommo D. De Vito, G. Ceci, A. Costi, F. Coscia, T. de Nicolò and G. Rizzo

- 576 A case of endocarditis due to *Granulicatella adiacens*: A. Perkins, S. Osorio, M. Serrano, M. C. del Ray, C. Sarriá, D. Domingo and M. López-Brea

- 578 Absence of risk factors for community MRSA: N. H. O'Connell, H. Humphreys, C. Pidgeon and E. G. Smyth

#### Answers to continuing medical education questions

- 580 Clinical microbiological case: a necrotic skin lesion in a patient with renal failure: F. Grill, P. Muñoz, R. Jofre and E. Bouza

#### Errata

- 582 Development of resistance in *Pseudomonas aeruginosa* obtained from patients with cystic fibrosis at different times: F. B. Spencker, L. Staber, T. Lietz, R. Schille and A. C. Rodloff
- 584 Nosocomial Bacteremia in a Community Hospital: a 20-Year Prospective Study: E. Espejo, R. M. Borrallo, E. Anoro, M. A. Morera, M. Simó, F. Bella

#### Volume 9, Issue 7, July 2003

#### Original articles

- 585 Determination of pertactin IgG antibodies for the diagnosis of pertussis: B. Trollfors, T. Lagergård, E. Gunnarsson and J. Taranger
- 590 In vitro susceptibility of *Streptococcus pneumoniae*, *Haemophilus influenzae* and *Moraxella catarrhalis*: a European multicenter study during 2000–2001: M. E. Jones, R. S. Blosser-Middleton, I. A. Critchley, J. A. Karlowsky, C. Thornsberry and D. F. Sahn
- 600 Antibiotic resistance of *Helicobacter pylori*: a cross-sectional study in consecutive patients, and relation to ethnicity: R. J. L. F. Löffeld and C. A. P. M. J. Fijen
- 605 Plasma secretory leukocyte protease inhibitor in febrile patients: L. A. Duits, G. S. Tjabringa, N. J. M. Aarts, J. W. van't Wout, P. S. Hiemstra, P. H. Nibbering and J. T. van Dissel
- 614 Invasive pneumococcal infections: a clinical and microbiological analysis of 53 patients in Taiwan: C.-Y. Lee, C.-H. Chiu, Y.-C. Huang, P.-W. Chung, L.-H. Su, T.-L. Wu and T.-Y. Lin
- 619 Large-scale testing of women in Copenhagen has not reduced the prevalence of *Chlamydia trachomatis* infections: H. Westh and H. J. Kolmos
- 625 Toxoplasmic lymphadenitis—clinical and serologic profile: R. A. Durlach, F. Kaufer, L. Carral and J. Hirt
- 632 Evaluation of a rapid immunochromatographic test for the serologic diagnosis of tuberculosis in Italy: A. Bartoloni, M. Strohmeier, F. Bartalesi, D. Messeri, E. Tortoli, A. Farese, F. Leoncini, S. Nutini, R. Righi, A. Gabbuti, F. Mazzotta and F. Paradisi
- 640 Human cytomegalovirus, human herpesvirus-6 and human herpesvirus-7 in neutropenic patients with fever of unknown origin: L. Persson, H. Dahl, A. Linde, P. Engvall, T. Vikerfors and U. Tidefelt



- 645 Microbiological etiology in clinically diagnosed community-acquired pneumonia in primary care in Örebro, Sweden: F. Lagerström, M. Bader, M. Foldevi, H. Fredlund, I. Nordin-Olsson and H. Holmberg
- 653 Activity of telithromycin and seven other agents against 1034 pediatric *Streptococcus pneumoniae* isolates from ten central and eastern European centers: B. Bozdogan, P. C. Appelbaum, L. M. Kelly, D. B. Hoellman, A. Tambic-Andrasevic, L. Drukalska, W. Hryniewicz, H. Hupkova, M. R. Jacobs, J. Kolman, M. Konkoly-Thege, J. Miculeviciene, M. Pana, L. Setchanova, J. Trupl and P. Urbaskova
- 662 Outbreak of infection with high-level gentamicin-resistant *Enterococcus faecalis* (HLGRE) in a Norwegian hospital: O. Wendelbo, R. Jureen, G. E. Eide, A. Digraanes, N. Langeland and S. Harthug
- 670 Serum bactericidal activity of trovafloxacin, in combination with cefepime or amikacin, in healthy volunteers: A. Lubasch, S. Ziege, B. Brodersen, K. Borner, P. Koeppe and H. Lode
- 678 Sequential changes in hematologic and biochemical parameters in African tick bite fever: M. Jensenius, P.-E. Fournier, K. B. Hellum, L. Wesslén, G. Canuso, T. Prio, K. Lohne, S. Vene, D. Raoult and B. Myrvang
- 684 Comparison of adherence of *Candida albicans* and *Candida parapsilosis* to silicone catheters in vitro and in vivo: E. M. Kojic and R. O. Darouiche
- 691 Telithromycin 800 mg once daily for seven to ten days is an effective and well-tolerated treatment for community-acquired pneumonia: C. Carbon, S. Moola, I. Velancsics, B. Leroy, M. Rangaraju and P. Decosta
- Concise Communications**
- 704 In vitro activity of telithromycin (HMR 3647) against Greek *Streptococcus pyogenes* and *Streptococcus pneumoniae* clinical isolates with different macrolide susceptibilities: S. Ioannidou, P. T. Tassios, L. Zachariadou, Z. Salem, M. Kanelopoulou, S. Kanavaki, G. Chronopoulou, N. Petropoulou, M. Foustoukou, A. Pangalis, E. Trikka-Graphakos, E. Papafraggas and A. C. Vatopoulos
- 708 Antimicrobial activity against strains of *Escherichia coli* and *Klebsiella* spp. with resistance phenotypes consistent with an extended-spectrum  $\beta$ -lactamase in Europe: R. N. Jones and M. A. Pfaller and the MYSTIC Study Group (Europe)
- 713 Peritonitis due to the dermatiaceus mold *Exophiala dermatitidis* complicating continuous ambulatory peritoneal dialysis: J. Greig, M. Harkness, P. Taylor, C. Hashmi, S. Liang and J. Kwan
- 716 Nocardial infection in patients infected with the human immunodeficiency virus: V. Pintado, E. Gómez-Mampaso, J. Cobo, C. Quereda, M. A. Meseguer, J. Fortún, E. Navas and S. Moreno
- 721 No evidence of skin infection with *Chlamydia pneumoniae* in patients with cutaneous T cell lymphoma: M. J. Rößler, G. Rappl, M. Muehe, D. O. Hasselmann, W. Sterry, W. Tilgen and U. Reinhold
- 724 Informal consultations in infectious diseases and clinical microbiology practice: H. Leblebicioglu, A. Akbulut, S. Ulusoy, M. Sunbul, K. Aydin, M. F. Geyik, S. Esen and C. Eroglu
- 727 Molecular epidemiology of invasive *Salmonella typhi* in southeast Turkey: S. Hosoglu, M. Loebl, M. F. Geyik, H. Ucmak and P. Jayaratne
- 731 *Cyclospora cayentanensis* infection in Lagos, Nigeria: G. E. Alakpa, S. C. Clarke and A. F. Fagbenro-Beyioku
- 734 Intestinal localization of anisakiasis manifested as acute abdomen: P. Caramello, A. Vitali, F. Canta, A. Caldana, F. Santi, A. Caputo, F. Lipani and R. Balbiano
- 738 A five-year survey of pneumococcal peritonitis in two Danish counties—incidence, diagnosis and clinical entities: K. R. Nielsen, T. Ejlersen, S. El-Batran and J. Prag
- 741 Activity of telithromycin compared with seven other agents against 1039 *Streptococcus pyogenes* pediatric isolates from ten centers in central and eastern Europe: B. Bozdogan, P. C. Appelbaum, L. M. Kelly, D. B. Hoellman, A. Tambic-Andrasevic, L. Drukalska, W. Hryniewicz, H. Hupkova, M. R. Jacobs, J. Kolman, M. Konkoly-Thege, J. Miculeviciene, M. Pana, L. Setchanova, J. Trupl and P. Urbaskova
- 746 Comparison of real-time PCR and conventional hemi-nested PCR for the detection of *Bordetella pertussis* in nasopharyngeal samples: T. P. Anderson, K. A. Beynon and D. R. Murdoch
- 750 Two cases of subcutaneous *Scedosporium apiospermum* infection treated with voriconazole: F. Bosma, A. Voss, H. W. van Hamersvelt, R. G. L. de Sévaux, J. Biert, B. J. Kullberg, W. G. J. Melchers and P. E. Verweij
- 754 Evaluation of a real-time PCR hybridization assay for rapid detection of *Legionella pneumophila* in hospital and environmental water samples: K. Levi, J. Smedley and K. J. Towner
- 759 Erratum
- Volume 9, Issue 8, August 2003**
- Editorial**
- 761 Vancomycin-resistant *Staphylococcus aureus*: no apocalypse now: F. W. Goldstein and M. D. Kitzis
- Review**
- 766 The multiple roles of Fas ligand in the pathogenesis of infectious diseases: D. H. Dockrell
- Update**
- 780 Management of urinary tract infection in patients with spinal cord injuries: M. E. García Leoni and A. Esclarín De Ruz
- Original articles**
- 786 Protothecosis in patients with cancer: case series and literature review: H. A. Torres, G. P. Bodey, J. J. Tarrand and D. P. Kontoyiannis

- 793 Source of infection and other factors associated with case fatality in community-acquired bacteraemia—a Danish population-based cohort study from 1992 to 1997: G. Pedersen, H. C. Schonheyder and H. T. Sørensen
- 803 A twelve-year review of central nervous system bacterial abscesses; presentation and aetiology: M. Roche, H. Humphreys, E. Smyth, J. Phillips, R. Cunney, E. McNamara, D. O'Brien and O. McArdle
- 810 Impact of introducing quality control/quality assurance (QC/QA) guidelines in respiratory specimen processing: N. Al Balooshi, A. Jamsheer and G. A. Botta
- 816 Poly(sodium 4-styrene sulfonate): evaluation of a topical microbicide gel against herpes simplex virus type 2 and *Chlamydia trachomatis* infections in mice: N. Bourne, L. J. D. Zaneveld, J. A. Ward, J. P. Ireland and L. R. Stanberry
- 823 Comparison of PCR-based methods for typing *Escherichia coli*: D. Jonas, B. Spitzmüller, K. Weist, H. Rüden and E. D. Daschner
- 832 Group B streptococcus colonization of Greek pregnant women and neonates: prevalence, risk factors and serotypes: M. Tsolia, M. Psoma, S. Gavrilis, V. Petrichilou, S. Michalis, N. Legakis and Th. Karpathios
- 839 A European outbreak of *Salmonella enterica* serotype Typhimurium definitive phage type 204b in 2000: P. D. Crook, J. F. Aguilera, E. J. Threlfall, S. J. O'Brien, G. Sigmundsdóttir, D. Wilson, I. S. T. Fisher, A. Ammon, H. Briem, J. M. Cowden, M. E. Locking, H. Tschäpe, W. van Pelt, L. R. Ward and M. A. Widdowson
- 846 Infrequent detection of acquired metallo- $\beta$ -lactamases among carbapenem-resistant *Pseudomonas* isolates in a Greek hospital: A. Tsakris, P. T. Tassios, F. Polydorou, A. Papa, E. Malaka, A. Antoniadis and N. J. Legakis
- 852 Clinical significance of tolerant strains of streptococci in adults with infective endocarditis: T. Hanslik, C. Hartig, C. Jurand, L. Armand-Lefevre, V. Jubault, E. Rouveix, O. Dubourg, J. Prinseau, A. Baglin and M. H. Nicolas-Chanoine
- 858 Sales of over-the-counter remedies as an early warning system for winter bed crises: G. R. Davies and R. G. Finch

#### Continuing medical education

- 864 Clinical microbiological case: a skin lesion on the left foot in a Dutch traveler returning from Thailand: W. M. A. J. Miesen

#### Concise communications

- 866 *Salmonella* sepsis and miscarriage: L. B. Coughlin, J. McGuigan, N. G. Haddad and P. Mammion
- 869 *Streptococcus equi* subspecies *equi* (Lancefield group C) meningitis in a child: S. Elsayed, O. Hammerberg, V. Massey and Z. Hussain
- 873 Molecular epidemiology of tuberculosis in Turkey: R. Durmaz, S. Gunal, Z. Yang, I. H. Ozerol and M. D. Cave

- 878 A prospective study of fever in the accident and emergency department: P. J. van Laar and J. Cohen
- 881 Abdominal actinomycosis: F. M. E. Wagenlehner, B. Mohren, K. G. Naber and H. F. K. Männl
- 886 Heterogeneity of methicillin-resistant *Staphylococcus aureus* isolated in Norway: Y. Tveit, A. Jenkins, A. G. Allum and B. E. Kristiansen and The Norwegian MRSA Study Group
- 893 Antimicrobial activity of LB10827, a new orally administered cephalosporin, tested against *Haemophilus influenzae*, *Moraxella catarrhalis*, and *Streptococcus pneumoniae*: L. M. Deshpande, M. L. Beach, A. H. Mutnick and R. N. Jones
- 897 Recurrent catheter-related *Rhodotorula rubra* infection: V. Lo Re III, N. O. Fishman and I. Nachamkin

#### Correspondence

- 901 Caspofungin in combination with itraconazole and amphotericin B for the treatment of invasive aspergillosis in humans, with a method to test *ex vivo* synergism: C. Tascini, E. Tagliaferri, R. Iapoco, A. Leonildi and F. Menichetti
- 903 Clindamycin-resistant, toxin A-negative, toxin B-positive *Clostridium difficile* strains cause antibiotic-associated diarrhea among children hospitalized in a hematology unit: H. Ptiuch, A. van Belkum, N. van den Braak, P. Obuch-Wósczatyński, A. Sawicka-Gzcelak, H. Verbrugh, F. Meisel-Mikolajczyk and M. Luczak

#### Answers to continuing medical education questions

- 905 Clinical microbiological case: a skin lesion on the left foot in a Dutch traveler returning from Thailand: W. M. A. J. Miesen

Volume 9, Issue 9, September 2003

#### Original articles

- 907 Integron-mediated antibiotic multiresistance in *Acinetobacter baumannii* clinical isolates from Spain: J. Ruiz, M. M. Navia, C. Casals, J. M. Sierra, M. T. Jiménez De Anta and J. Vila
- 912 Comparative evaluation of three chromogenic agars for detection and rapid identification of aerobic Gram-negative bacteria in the normal intestinal microflora: P. M. G. Filius, D. van Netten, P. J. E. Roovers, A. G. Vulto, I. C. Gyssens, H. A. Verbrugh and H. P. Endtz
- 919 Osteoarticular tuberculosis in a general hospital during the last decade: G. Ruiz, J. García Rodríguez, M. L. Güerri and A. González
- 924 A common clone of erythromycin-resistant *Streptococcus pneumoniae* in Greece and the UK: N. Fotopoulou, P. T. Tassios, D. V. Beste, S. Ioannidou, A. Efstratiou, E. R. Lawrence, J. Papaparaskevas, R. C. George and N. J. Legakis
- 930 In vitro studies of the pharmacodynamics of teicoplanin against *Staphylococcus aureus*, *Staphylococcus epidermidis* and *Enterococcus faecium*: I. Odenholt, E. Löwdin and O. Cars



- 938 An outbreak of carbapenem-resistant *Pseudomonas aeruginosa* in a urology ward: C. Peña, M. A. Domínguez, M. Pujol, R. Vendaguer, F. Gudiol and J. Ariza

#### Concise communications

- 944 Rhabdomyolysis as a result of *Streptococcus pneumoniae*: report of a case and review: J. R. Blanco, M. Zabala, J. Salcedo and J. San Román
- 949 Community-acquired pneumonia: causes of treatment failure in patients enrolled in clinical trials: D. Gemé, L. Kaiser, T. N. King and D. Lew
- 955 Influence of the incubation atmosphere on the production of biofilm by staphylococci: S. Stepanović, V. Djukić, V. Djordjević and S. Djukić
- 959 The impact of influenza viruses on hospitalizations in infants younger than two years old during epidemics of respiratory syncytial virus infection: J. M. Navarro-Mari, E. Palacios Del Valle, M. Pérez-Ruiz and M. De La Rosa
- 964 Infections by *Neisseria meningitidis* serogroup X in Spain: C. M. del Castillo, J. A. Vázquez, J. Romero and A. Pascual
- 966 Development of macrolide resistance by ribosomal protein L4 mutation in *Streptococcus pyogenes* during miocamycin treatment of an eight-year-old Greek child with tonsillopharyngitis: B. Bozdoğan, P. C. Appelbaum, L. Ednie, I. N. Grivea and G. A. Syngianopoulos
- 970 *Campylobacter jejuni*: unusual cause of cholecystitis with lithiasis. Case report and literature review: G. K. Dakdouki, G. F. Araj and M. Hussein
- 973 Nosocomial bacteremia and catheter infection by *Bacillus cereus* in an immunocompetent patient: C. Hernáiz, A. Picado, J. I. Alos and J. L. Gomez-Garcés
- 976 Identification of *Aerococcus urinae* in urine samples: N. Grude, A. Jenkins, Y. Tveten and B.-E. Kristiansen
- 980 Susceptibility of multi-drug-resistant *Pseudomonas aeruginosa* in intensive care units: results from the European MYSTIC study group: H. Goossens
- 984 Antibiotic susceptibility of isolates of *Bacillus anthracis*, a bacterial pathogen with the potential to be used in biowarfare: M. E. Jones, J. Goguen, I. A. Critchley, D. C. Draghi, J. A. Karlowsky, D. F. Sahn, R. Porschen, G. Patra and V. G. DelVecchio

#### Correspondence

- 987 In vitro antibacterial effects of glycyrrhetic acid on periodontopathogenic and capnophilic bacteria isolated from adult periodontitis: M. H. Salari and Z. Kadhoda

Volume 9, Issue 10, October 2003

#### ESCMID Study Group Report

- 989 A European survey of diagnostic methods and testing protocols for *Clostridium difficile*: F. Barbut, M. Delmée, J. S. Brazier, J. C. Petit, I. R. Poxton, M. Rupnik, V. Lalande, C.

Schneider, P. Mastrantonio, R. Alonso, E. Kuipier and M. Tvede and the ESCMID Study Group on *Clostridium difficile* (ESGCD)

#### Original articles

- 997 In vitro antibacterial activity of moxifloxacin against hospital isolates: a multicentre study: C.-J. Soussy, J. Nguyen, F. Goldstein, H. Dabernat, A. Andreumont, R. Leclercq, H. Drugeon, P. Cavallo, H. Chardon, J. Etienne, Y. Rio and P. Courvalin
- 1006 Otitis and respiratory distress episodes following a respiratory syncytial virus infection: D. A. Kafetzis, H. Astra, M. Tsolia, G. Liapi, J. Mathioudakis and K. Kallergi
- 1011 Clonality among ampicillin-resistant *Enterococcus faecium* isolates in Sweden and relationship with ciprofloxacin resistance: E. Torell, I. Kühn, B. Olsson-Liljequist, S. Haggman, B.-M. Hoffman, C. Lindahl and L. G. Burman

#### Concise communications

- 1020 Comparison of the Becton Dickinson strand displacement amplification and Cobas Amplicor Roche PCR for the detection of *Chlamydia trachomatis*: pooling versus individual tests: D. Bang, L. Angelso, B. Schinakow and H. Westh
- 1024 Efficacy of a single intravenous dose of amphotericin B for *Candida* urinary tract infections: further favorable experience: J. F. Fisher, K. Woeltje, A. Espinel-Ingroff, J. Stanfield and J. T. DiPiro
- 1028 Growth on blood agar discriminates *Mycobacterium avium* and *Mycobacterium intracellulare*: M. Drancourt, M.-J. Gévaudan, C. Truffot and V. Jarlier
- 1031 Invasive properties of south Indian strains of group A streptococcus pyogenes in a HEp-2 cell model: P. Gladstone, M. V. Jesudason and G. Sridharan
- 1035 Revision of linezolid disk diffusion quality control guidelines for testing *Staphylococcus aureus* ATCC 25923: an independent seven-laboratory trial: D. J. Biedenbach and R. N. Jones
- 1038 Prospective evaluation of blood cultures in a Turkish university hospital: epidemiology, microbiology and patient outcome: D. Esel, M. Doganay, E. Alp and B. Sumerkan
- 1045 Smear microscopy to diagnose tuberculosis early and prevent further transmission in a population with a high prevalence of HIV infection: E. Valadas, T. Häscheid, M. L. Fernandes and F. Antunes
- 1048 *Haemophilus segnis*: a rare cause of endocarditis: C. J. Somers, B. C. Millar, J. Xu, D. P. Moore, A. M. Moran, C. Maloney, B. Keogh, P. G. Murphy and J. E. Moore
- 1051 Application of *Bacillus anthracis* PCR to simulated clinical samples: K. Rantakokko-Jalava and M. K. Viljanen
- 1057 A 59-year-old liver-transplanted woman with fever, dyspnea and pulmonary infiltrates: L. Del Bono, F. Filippini, G. Marchetti, S. Ferranti, F. Menichetti and F. Mosca
- 1062 Infective endocarditis due to *Neisseria meningitidis*: two case reports: J. Benes, O. Džupova, M. Kabelkova, P. Krizova and A. Gabrielova

- 1065 *Isospora belli* infection in a patient with non-Hodgkin's lymphoma: D. Resiere, J. M. Vantelon, P. Bourée, E. Chachaty, G. Nitenberg and F. Blot

- 1068 Bacteremia due to *Stomatococcus mucilaginosus* in neutropenic patients in the setting of a cancer institute: P. Fanourgiakis, A. Georgala, M. Vekemans, D. Daneau, C. Heymans and M. Aoun

#### Correspondence

- 1073 Study of 42 cases of infective endocarditis in the HAART era in Spain: M. E. Valencia Ortega, J. Guinea, A. Enrique, G. Ortega, V. Moreno and J. González Lahoz

Volume 9, Issue 11, November 2003

#### Update

- 1077 New patterns of HIV-1 resistance during HAART: E. Fumero and D. Podzamczar

#### Original articles

- 1085 Evaluation of the ProSpecT Microplate Assay for detection of *Campylobacter*: a routine laboratory perspective: A. Dediste, O. Vandenbergh, L. Vlaes, A. Ebraert, N. Donat, P. Bahwere and J-P. Butzler
- 1091 Evaluation of VITEK 2 for analysis of Enterobacteriaceae using the Advanced Expert System (AES) versus interpretive susceptibility guidelines used at Dynacare Kasper Medical Laboratories, Edmonton, Alberta: E. Blondel-Hill, C. Hetchler, D. Andrews and L. Lapointe

- 1104 Porins and lipopolysaccharide from *Salmonella typhimurium* regulate the expression of CD80 and CD86 molecules on B cells and macrophages but not CD28 and CD152 on T cells: M. Galdiero, M. G. Pisciotto, E. Galdiero and C. R. Carratelli

#### Concise communications

- 1112 *Fusobacterium nucleatum*: a rare cause of bacteremia in neutropenic patients with leukemia and lymphoma: A. Candoni, C. Fili, R. Trevisan, E. Silvestri and R. Fanin
- 1116 Mixed bloodstream infection with *Staphylococcus aureus* and *Penicillium chrysogenum* in an immunocompromised patient: case report and review of the literature: E. Svoboda-Kopeck, M. M. Wroblewska, A. Rokosz and M. Luczak
- 1118 Septicemia due to *Yersinia pseudotuberculosis*—a case report: A. G. Deacon, A. Hay and J. Duncan
- 1120 Bactericidal activity and synergy studies of BAL9141, a novel pyrrolidinone-3-ylidenemethyl cephem, tested against streptococci, enterococci and methicillin-resistant staphylococci: L. M. Deshpande and R. N. Jones
- 1125 Molecular diagnosis of a vascular prosthesis infection, due to *Propionibacterium acnes*, by amplification and sequencing of 16S rDNA: L. Le Page, I. Podglajen, E. Chemla and J. L. Mainardi
- 1128 Comparative in vitro activity of piperacillin, piperacillin-sulbactam and piperacillin-tazobactam against nosocomial pathogens isolated from intensive care patients: U. Frank, J. Mutter, E. Schmidt-Eisenlohr and F. D. Daschner

- 1133 In vitro activity of gatifloxacin, a new fluoroquinolone, against 204 anaerobes compared to seven other compounds: L. Dubreuil, J. Behra-Miellet, C. Neut and L. Calvet

- 1139 *Staphylococcus lugdunensis* vertebral osteomyelitis: J. M. Greig and M. J. Wood

- 1142 Spread of *Stenotrophomonas maltophilia* colonization in a pediatric intensive care unit detected by monitoring tracheal bacterial carriage and molecular typing: P. Lanotte, S. Cantagrel, L. Mereghetti, S. Marchand, N. Van der Mee, J. M. Besnier, J. Laugier and R. Quentin

- 1148 Evaluation of the BacT/ALERT 3D system for recovery and drug susceptibility testing of *Mycobacterium tuberculosis*: K. A. K. Ångeby, J. Werngren, J. C. Toro, G. Hedström, B. Petrini and S. E. Hoffner

#### Correspondence

- 1153 A fast method for the detection of penicillin resistance in *Bacillus anthracis*: E. Hernandez, F. Ramisse and J. D. Cavallo
- 1155 Eradication of multiresistant *Salmonella* Hadar convalescent-phase carriage with azithromycin: P. Imbert, C. Rapp, S. Lecoules, E. Garabé and T. Debord
- 1157 Antimicrobial resistance in *Salmonella enteritidis* human isolates in Bosnia and Herzegovina: S. Uzunovic-Kamberovic

Volume 9, Issue 12, December 2003

#### Editorial

- 1161 Farewell Message from the Editor-in-Chief: E. Bouza Santiago

#### National guidelines

- 1162 Systemic antibiotic treatment in upper and lower respiratory tract infections: official French guidelines: Agence Française de Sécurité Sanitaire des Produits de Santé

#### Updates

- 1179 Epidemiology of methicillin-resistant staphylococci in Europe: S. Stefani and P. E. Vavaldo
- 1187 Cytomegalovirus-associated acute transverse myelitis in immunocompetent adults: C. A. Fux, S. Pfister, F. Nohl and S. Zimmerli

#### Original articles

- 1191 PCR-RFLP detection and species identification of fungal pathogens in patients with febrile neutropenia: M. Dendis, R. Horváth, J. Michálek, F. Růžička, M. Grijalva, M. Bartoš and J. Benedik

- 1203 Promoting resistance by the emission of antibiotics from hospitals and households into effluent: K. Kümmerer and A. Henninger

#### Concise communications

- 1215 Esophageal perforation secondary to angio-invasive *Candida glabrata* following hemopoietic stem cell transplantation: H. A. M. Tran, J. M. Vincent, M. A. Slavin and A. Grigg
- 1219 *Curvularia*—favorable response to oral itraconazole therapy in two patients with locally invasive phaeohyphomycosis: A. Safdar

- 1224 Fulminant invasive pulmonary aspergillosis in immunocompetent patients—a two-case report: M. Cornet, H. Mallat, D. Somme, E. Guérot, G. Kac, J. L. Mainardi, P. Fornes, L. Gutmann and V. Lavarde
  - 1228 European-wide distribution of *Pseudomonas aeruginosa* clone: C. S. D. Dinesh, H. Grundmann, T. L. Pitt and U. Römling
  - 1234 Liver abscess due to *Bacillus cereus*: a case report: G. Latsios, C. Petrogianopoulos, G. Hartzoulakis, L. Kondili, K. Bethimouti and A. Zaharof
  - 1238 Disseminated *Aspergillus terreus* infection arising from cutaneous inoculation treated with caspofungin: F. J. Cooke, E. Terpos, J. Boyle, A. Rahemtulla and T. R. Rogers
  - 1242 Bacteremia caused by a novel species of *Sphingobacterium*: H. Tronel, P. Plesiat, E. Ageron and P. A. D. Grimont
  - 1245 Primary meningococcal conjunctivitis: B. Orden, R. Martínez, R. Millán, M. Belloso and N. Pérez
- Continuing medical education**
- 1248 Clinical microbiological case: vomiting followed by breathlessness: C. El-Saleeby, G. Hallward and W. Lynn
  - 1249 Clinical microbiological case: itchy furunculosis on return from South Africa: N. C. Weightman, S. Mitra and P. T. Kipling
- Correspondence**
- 1250 In vitro activity of ravuconazole against Zygomycetes, *Scedosporium* and *Fusarium* isolates: B. Minassian, E. Huczko, T. Washo, D. Bonner and J. Fung-Tomc
  - 1253 Catalase-negative *Staphylococcus aureus*: a rare cause of catheter-related bacteremia: B. Friedberg, E. Hauer, M. Belkhirat, J. Watine and A. L. Coustumier
  - 1256 100th Anniversary of a great victory over typhus: J. Schoendorff
  - 1257 Antimicrobial resistance patterns of respiratory pathogens: a local report from Turkey: P. Zarakolu, G. Soyletir, D. Gur and S. Unal
  - 1259 Relapsing brucellosis in a patient infected with the human immunodeficiency virus (HIV): V. Ibarra, J. R. Blanco, L. Metola and J. A. Oteo
  - 1261 A rare cause of pericarditis: F. J. Candel, V. Roca-Arbonés, M. J. Núñez, C. Arroyo, A. Valdivia, M. J. Téllez and J. J. Picazo
- Answers to continuing medical education questions**
- 1264 Clinical microbiological case: vomiting followed by breathlessness: C. El-Saleeby, G. Hallward and W. Lynn
  - 1266 Clinical microbiological case: itchy furunculosis on return from South Africa: N. C. Weightman, S. Mitra and P. T. Kipling
  - 1268 Erratum
  - 1269 Acknowledgement of Reviewers
  - 1271 Author Index
  - 1277 Subject index